

## PennHIP Report

|   |  |
|---|--|
| Referring Veterinarian: Dr Sietske Rijnen | Clinic Name: Creekside Animal Clinic BC                |
| Email: s.rijnen@creeksideanimalclinic.com | Clinic Address: 5001 24th Street<br>Vernon, BC V1T 8X7 |
|   | Phone: (250) 549-3533                                  |
|   | Fax: (250) 549-1351                                    |

## Patient Information

|   |                                 |
|---|---------------------------------|
| Client: Keehn, Shona                      | Tattoo Num:                     |
| Patient Name: Arnold                      | Patient ID: 53479 Keehn         |
| Reg. Name: Puppy Love Hasta La Vista Baby | Registration Num: WALA-00062337 |
| PennHIP Num: 158804                       | Microchip Num: 900219000310384  |
| Species: Canine                           | Breed: LABRADOODLE              |
| Date of Birth: 08 Nov 2020                | Age: 7 months                   |
| Sex: Male                                 | Weight: 24.5 lbs/11.1 kgs       |
| Date of Study: 22 Jun 2021                | Date Submitted: 22 Jun 2021     |
| Date of Report: 26 Jun 2021               |                                 |

## Findings


Distraction Index (DI): Right DI = 0.49, Left DI = 0.44.  
 Osteoarthritis (OA): **No radiographic evidence of OA for either hip.**  
 Cavitation/Other Findings: No cavitation present.

## Interpretation

Distraction Index (DI): The laxity ranking is based on the hip with the greater laxity (larger DI). In this case the DI used is 0.49.

OA Risk Category: The DI is between 0.31 and 0.49. This patient is at mild risk for hip OA.

Distraction Index Chart:



**BREED STATISTICS:** This interpretation is based on a cross-section of 9047 canine patients of the LABRADOODLE breed in the AIS PennHIP database. The gray strip represents the central 90% range of DIs (0.31 - 0.75) for the breed. The breed average DI is 0.50 (solid square). The patient DI is the solid circle (0.49).

**SUMMARY:** The degree of laxity (DI = 0.49) falls within the central 90% range of DIs for the breed. This amount of hip laxity places the hip at a mild risk to develop hip OA. **No radiographic evidence of OA for either hip.**